



Chain of Custody Record
 1282 Alturas Drive, Moscow ID 83843 (208) 883-2839 FAX 882-9246
 504 E Sprague Ste D, Spokane WA 99202 (509) 838-3999 FAX 838-4433

080724 047 IRZC Last Due **8/5/2008**
 1st SAMP 7/22/2008 1st RCVD 7/24/2008
UMATILLA RECHARGE

Company Name: **IRZ Consulting**
 Address: **505 E Main**
 City: **Herminston OR** State: **OR** Zip: **97838**
 Phone: **541-567-0252**
 Fax: _____
 Project Manager: **Said Amali**
 Project Name & #: **Umatilla Recharge**
 Email Address: **Saida@irz.com**
 Purchase Order #: _____
 Sampler Name & phone: **Jim Graham**

Please refer to our normal turn around times at:
<http://www.anateklabs.com/services/guidelines/reporting.asp>
 Normal *All rush order requests must be prior approved.
 Next Day* Phone
 2nd Day* Mail
 Other* Fax
 _____ Email

Lab ID	Sample Identification	Sampling Date/Time	Matrix	Preservative:			List Analyses Requested							
				# of Containers	Sample Volume	Ca/Mg/K/Na	SO ₄ /Cl/HCO ₃ /CO ₃	NO ₃ /NO ₂ -N	IDS					
1	V1269	7/22/08 13:30	W	1		X	X	X						
2	DMPM2	10:30	W	2		X	X	X						
3	JSPM1	11:15	W	2		X	X	X						
4	U1317	13:00	W	2		X	X	X						
5	TCM1	13:55	W	1		X	X	X						
6	Wetland	15:30	W	2		X	X	X						
7	HCSM1	11:00	W	2		X	X	X						
	DMPM2		W	2		X	X	X						

Note Special Instructions/Comments: **MURBS**

Inspection Checklist

Received Intact? N

Labels & Chains Agree? N

Containers Sealed? N

VOC Head Space? N

Temperature (°C): **12.5**

Preservative: **MA**

Date & Time: _____

Inspected By: **MM**

Relinquished by: _____
 Received by: **Kami Miller**
 Relinquished by: _____
 Received by: _____
 Relinquished by: _____
 Received by: _____
 Relinquished by: _____
 Received by: _____

Printed Name: _____
 Signature: **Kami Miller**
 Company: **Armed Forces**
 Date: **7/24/08**
 Time: **1500**

Anatek Labs, Inc.

1282 Alturas Drive • Moscow, ID 83843 • (208) 883-2839 • Fax (208) 882-9246 • email moscow@anateklabs.com
 504 E Sprague Ste. D • Spokane WA 99202 • (509) 838-3999 • Fax (509) 838-4433 • email spokane@anateklabs.com

Login Report

Customer Name: IRZ CONSULTING LLC
 Order ID: 080724047
 Order Date: 7/24/2008
 Project ID: UMATILLA RECHARGE
 Project Name: UMATILLA RECHARGE

Comment:

Sample #: 080724047-001 Customer Sample #: U1269 Site:

Rec'd: Collector: JIM GRAHAM Date Collected: 7/22/2008
 Quantity: 1 Matrix: Drinking Water Date Received: 7/24/2008 11:00:00 A

Comment:
 Test: Test Group Method Due Date Priority

BICARBONATE	SM2320B	8/5/2008	Normal (6-10 Days)
CALCIUM	EPA 200.8	8/5/2008	Normal (6-10 Days)
CARBONATE	SM2320B	8/5/2008	Normal (6-10 Days)
CHLORIDE	EPA 300.0	8/5/2008	Normal (6-10 Days)
MAGNESIUM	EPA 200.8	8/5/2008	Normal (6-10 Days)
NITRATE+ NITRITE AS N	EPA 300.0	8/5/2008	Normal (6-10 Days)
POTASSIUM	EPA 200.8	8/5/2008	Normal (6-10 Days)
SODIUM	EPA 200.8	8/5/2008	Normal (6-10 Days)
SOLIDS - TDS	EPA 160.1	8/5/2008	Normal (6-10 Days)
SULFATE	EPA 300.0	8/5/2008	Normal (6-10 Days)

Sample #: 080724047-002 Customer Sample #: DMPW2 Site:

Rec'd: Collector: JIM GRAHAM Date Collected: 7/22/2008
 Quantity: 2 Matrix: Drinking Water Date Received: 7/24/2008 11:00:00 A

Comment:
 Test: Test Group Method Due Date Priority

BICARBONATE	SM2320B	8/5/2008	Normal (6-10 Days)
CALCIUM	EPA 200.8	8/5/2008	Normal (6-10 Days)
CARBONATE	SM2320B	8/5/2008	Normal (6-10 Days)
CHLORIDE	EPA 300.0	8/5/2008	Normal (6-10 Days)
MAGNESIUM	EPA 200.8	8/5/2008	Normal (6-10 Days)
NITRATE+ NITRITE AS N	EPA 300.0	8/5/2008	Normal (6-10 Days)
POTASSIUM	EPA 200.8	8/5/2008	Normal (6-10 Days)
SODIUM	EPA 200.8	8/5/2008	Normal (6-10 Days)
SOLIDS - TDS	EPA 160.1	8/5/2008	Normal (6-10 Days)
SULFATE	EPA 300.0	8/5/2008	Normal (6-10 Days)

Customer Name: IRZ CONSULTING LLC

Purchase Order: Order ID: 080724047

Project ID: Project Name: UMATILLA RECHARGE

Order Date: 7/24/2008

Order ID: 080724047

Sample #: 080724047-003

Customer Sample #: JSPW1

Site:

Rec'd: Collector: JIM GRAHAM

Quantity: 2 Matrix: Drinking Water

Date Collected: 7/22/2008 Date Received: 7/24/2008 11:00:00 A

Comment:

Test

Method

Due Date

Priority

BICARBONATE SM2320B 8/5/2008

CALCIUM EPA 200.8 8/5/2008

CARBONATE SM2320B 8/5/2008

CHLORIDE EPA 300.0 8/5/2008

MAGNESIUM EPA 200.8 8/5/2008

NITRATE+ NITRITE AS N EPA 300.0 8/5/2008

POTASSIUM EPA 200.8 8/5/2008

SODIUM EPA 200.8 8/5/2008

SOLIDS - TDS EPA 160.1 8/5/2008

SULFATE EPA 300.0 8/5/2008

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Sample #: 080724047-004

Customer Sample #: U1317

Site:

Rec'd: Collector: JIM GRAHAM

Quantity: 2 Matrix: Drinking Water

Date Collected: 7/22/2008 Date Received: 7/24/2008 11:00:00 A

Comment:

Test

Method

Due Date

Priority

BICARBONATE SM2320B 8/5/2008

CALCIUM EPA 200.8 8/5/2008

CARBONATE SM2320B 8/5/2008

CHLORIDE EPA 300.0 8/5/2008

MAGNESIUM EPA 200.8 8/5/2008

NITRATE+ NITRITE AS N EPA 300.0 8/5/2008

POTASSIUM EPA 200.8 8/5/2008

SODIUM EPA 200.8 8/5/2008

SOLIDS - TDS EPA 160.1 8/5/2008

SULFATE EPA 300.0 8/5/2008

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Sample #: 080724047-005

Customer Sample #: TCDW1

Site:

Rec'd: Collector: JIM GRAHAM

Quantity: 1 Matrix: Drinking Water

Date Collected: 7/22/2008 Date Received: 7/24/2008 11:00:00 A

Comment:

Test

Method

Due Date

Priority

BICARBONATE SM2320B 8/5/2008

CALCIUM EPA 200.8 8/5/2008

CARBONATE SM2320B 8/5/2008

CHLORIDE EPA 300.0 8/5/2008

MAGNESIUM EPA 200.8 8/5/2008

NITRATE+ NITRITE AS N EPA 300.0 8/5/2008

POTASSIUM EPA 200.8 8/5/2008

SODIUM EPA 200.8 8/5/2008

SOLIDS - TDS EPA 160.1 8/5/2008

SULFATE EPA 300.0 8/5/2008

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Normal (6-10 Days)

Customer Name: IRZ CONSULTING LLC
 Order ID: 080724047
 Order Date: 7/24/2008
 Project Name: UMATILLA RECHARGE

Test	Test Group	Method	Due Date	Priority
SULFATE		EPA 300.0	8/5/2008	Normal (6-10 Days)
SOLIDS - TDS		EPA 160.1	8/5/2008	Normal (6-10 Days)
SODIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)

Comment:
 Recv'd: Collector: JIM GRAHAM
 Quantity: 2 Matrix: Drinking Water
 Date Received: 7/24/2008 11:00:00 A
 Date Collected: 7/22/2008
 Site: WETLAND

Test	Test Group	Method	Due Date	Priority
BICARBONATE		SM2320B	8/5/2008	Normal (6-10 Days)
CALCIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)
CARBONATE		SM2320B	8/5/2008	Normal (6-10 Days)
CHLORIDE		EPA 300.0	8/5/2008	Normal (6-10 Days)
MAGNESIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)
NITRATE+ NITRITE AS N		EPA 300.0	8/5/2008	Normal (6-10 Days)
POTASSIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)
SODIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)
SOLIDS - TDS		EPA 160.1	8/5/2008	Normal (6-10 Days)
SULFATE		EPA 300.0	8/5/2008	Normal (6-10 Days)

Sample #: 080724047-006
Customer Sample #: WETLAND
Site:
 Recv'd: Collector: JIM GRAHAM
 Quantity: 2 Matrix: Drinking Water
 Date Received: 7/24/2008 11:00:00 A
 Date Collected: 7/22/2008

Test	Test Group	Method	Due Date	Priority
BICARBONATE		SM2320B	8/5/2008	Normal (6-10 Days)
CALCIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)
CARBONATE		SM2320B	8/5/2008	Normal (6-10 Days)
CHLORIDE		EPA 300.0	8/5/2008	Normal (6-10 Days)
MAGNESIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)
NITRATE+ NITRITE AS N		EPA 300.0	8/5/2008	Normal (6-10 Days)
POTASSIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)
SODIUM		EPA 200.8	8/5/2008	Normal (6-10 Days)
SOLIDS - TDS		EPA 160.1	8/5/2008	Normal (6-10 Days)
SULFATE		EPA 300.0	8/5/2008	Normal (6-10 Days)

Order ID: 080724047
Order Date: 7/24/2008
Project Name: UMATILLA RECHARGE

Customer Name: IRZ CONSULTING LLC
Purchase Order:
Project ID:
Comment:

SAMPLE CONDITION RECORD

Yes	Samples received in a cooler?
Yes	Samples received intact?
12.5	What is the temperature inside the cooler?
Yes	Samples received with a COC?
Yes	Samples received within holding time?
Yes	Are all sample bottles properly preserved?
N/A	Are VOC samples free of headspace?
N/A	Is there a trip blank to accompany VOC samples?
Yes	Labels and chain agree?